

## 【英文原著】

1. Sugawara R, Sugiyama H, Nakamura K, Tohgi K, Hongo T, Tsuchiya M, Momoki N, Nose S, Yutani C, Ikeda Y, Ikeda T, Ito H. Electron Microscopy Revealed Massive Lipid Droplets in Cardiomyocytes in a Patient with Cardiogenic Shock Following a Fulminant Type 1 Diabetes Mellitus. *Int Heart J* 2021; 62(1):197-200.
2. Noguchi H, Yamada S, Hirano K, Yamaguchi S, Suzuki A, Guo X, Zaima N, Li M, Kobayashi K, Ikeda Y, Nakayama T, Sasaguri Y. Outside-in signaling by femoral cuff injury induces a distinct vascular lesion in adipose triglyceride lipase knockout mice. *Histol Histopathol* 2020; Nov 24:18285. doi: 10.14670/HH-18-285. Online ahead of print.
3. Nakajima K. Triglyceride deposit cardiomyovasculopathy: how to recognise a new disease entity. *Heart* 2020; 107(2):93-95.
4. Sai E, Shimada K, Aikawa T, Aoshima C, Takamura K, Hiki M, Yokoyama T, Miyazaki T, Fujimoto S, Konishi H, Hirano K, Daida H, Minamino T. Triglyceride Deposit Cardiomyovasculopathy with Massive Myocardial Triglyceride which was Proven Using Proton-magnetic Resonance Spectroscopy. *Intern Med* 2020; Nov 9. doi: 10.2169/internalmedicine.6126-20. Online ahead of print.
5. Hara Y, Zhang B, Suzuki A, Yamaguchi S, Adachi J, Tomonaga T, Yasunaga S, Saku K, Aoyama T, Hirano K. Effect of tricaprין on cardiac proteome in a mouse model for triglyceride deposit cardiomyovasculopathy. *J Oleo Sci.* 2020; 69(12):1569-1577.
6. Onishi T, Nakano Y, Hirano K, Nagasawa Y, Niwa T, Tajima A, Ishii H, Takahashi H, Sakurai S, Ando H, Takashima H, Amano T. Prevalence and clinical outcomes of triglyceride deposit cardiomyovasculopathy. *Heart.* 2020; Sep 30;heartjnl-2020-317672. doi: 10.1136/heartjnl-2020-317672. Online ahead of print.
7. Kobayashi K, Sakata Y, Miyauchi H, Ikeda Y, Nagasawa Y, Shimada K, Nakajima K, Kozawa J, Hao H, Amano T, Yoshida H, Inaba T, Hashimoto C, Hirano K. The Diagnostic Criteria 2020 for Triglyceride Deposit Cardiomyovasculopathy. *Ann Nucl Cardiol* 2020; 6(1):99-104.
8. Miyauchi H, Iimori T, Hoshi K, Ohyama M, Hirano K, Kobayashi Y. Correlation perspectives for the diagnosis of idiopathic triglyceride deposit cardiomyovasculopathy. *Ann Nucl Cardiol* 2020; 6(1):33-38.
9. Samukawa M, Nakamura N, Hirano M, Morikawa M, Sakata H, Nishino I, Izumi R, Suzuki N, Kuroda H, Shiga K, Saigoh K, Aoki M, Kusunoki S. Neutral Lipid Storage Disease Associated with the PNPLA2 Gene: Case Report and Literature Review. *European Neurology* 2020; 83(3):317-322.

10. Oishi H, Kondo T, Fujimoto K, Mutsuga M, Morimoto R, Hirano K, Sawamura A, Kazama S, Kimura Y, Shibata N, Kato H, Arao Y, Kuwayama T, Yamaguchi S, Hiraiwa H, Okumura T, Usui A, Murohara T. Aortic insufficiency associated with Impella that required surgical intervention upon implantation of the durable left ventricular assist device. *J Artificial Organs* 2020; 23(4):378-382.
11. Nakano Y, Suzuki M, Hirano K, Ando H, Takashima H, Takahashi H, Amano T. Association of Triglyceride Deposit Cardiomyovasculopathy With Drug-eluting Stent Restenosis Among Patients With Diabetes. *JAMA Network Open* 2020; 3(8): e2012583.
12. Puluca N, Durmus NG, Lee S, Belbachir N, Galdos FX, Ogut MG, Gupta R, Hirano K, Krane M, Lange R, Wu JC, Wu SM, Demirci U. Levitating Cells to Sort the Fit and the Fat. *Adv Biosys* 2020;4:e1900300.
13. Rajani P, Robertus JL, Wong J, Homfray T, Gil FR, Shanmuganathan M. ATGL Deficiency-Induced Triglyceride Deposit Cardiomyovasculopathy Requiring Heart Transplant A 5-Year Follow-Up. *JACC Case Reports* 2020; 2:760-763.
14. Tanaka M, Ikeda Y, Li M, Zaima N, Kawahara Y, Watanabe K, Inaba T, Kobayashi K, Noguchi H, Yamada S, Hao H, Hirano K. A historical case of primary triglyceride deposit cardiomyovasculopathy. *Pathol Int* 2019;70:58-61.
15. Hirano K, Higashi M, Miyauchi H, Takagi A, Ikeda Y, Nakano Y, Amano T. Increased Washout of 123IBMIPP in Triglyceride Deposit Cardiomyovasculopathy (TGCV) with Severe Coronary Stenosis -A Pitfall of Diagnosis for TGCV-. *Ann Nucl Cardiol* 2019; 5:47-49.
16. Inaba T, Okumura K, Fujita N, Suzuki A, Hirano K. Detection of Jordans' anomaly using compact-type automated hematology analyzer. *Int J Hematol* 2019;110:129-130. doi: 10.1007/s12185-019-02689-9.
17. Li M, Hirano K, Ikeda Y, Higashi M, Hashimoto C, Zhang B, Kozawa J, Sugimura K, Miyauchi H, Suzuki A, Hara H, Takagi A, Ikeda Y, Kobayashi K, Futsukaichi Y, Zaima N, Yamaguchi S, Shrestha R, Nakamura H, Kawaguchi K, Sai E, Hui SP, Nakano Y, Sawamura A, Inaba T, Sakata Y, Yasui Y, Nagasawa Y, Kinugawa S, Shimada K, Yamada S, Hao H, Nakatani D, Ide T, Amano T, Naito H, Nagasaka H, Kobayashi K. Triglyceride Deposit Cardiomyovasculopathy: a rare cardiovascular disorder. *Orphanet J Rare Dis* 2019;14:134. doi:10.1186/s13023-019-1087-4.
18. Kozawa J, Higashi M, Shimomura I, Hirano K. Intractable Coronary Artery Disease in a Type 2 Diabetic Patient Presenting With Triglyceride Deposit Cardiomyovasculopathy. *Diabetes Care* 2019; 42(5): 983-986. doi:10.2337/dc18-2365.
19. Suzuki A, Yamaguchi S, Li M, Hara Y, Miyauchi H, Ikeda Y, Zhang B,

- Higashi M, Ikeda Y, Takagi A, Nagasaka H, Kobayashi K, Magata Y, Aoyama T, Hirano K. Tricaprin Rescues Myocardial Abnormality in a Mouse Model of Triglyceride Deposit Cardiomyovasculopathy. *J Oleo Sci* 2018;67(8):983-989.
20. Inaba T, Ishizuka K, Suzuki A, Yuasa S, Saito K, Kodama M, Hongo F, Fujita N, Hirano K. Comparison of neutrophil distribution patterns in Jordans' anomaly among major automated hematology analyzers. *Int J Lab Hematol* 2018; 40(4):e78-e81. doi:10.1111/ijlh.12842.
21. Takagi A, Ikeda Y, Kobayashi K, Kobayashi K, Ikeda Y, Kozawa J, Miyauchi H, Li M, Hashimoto C, Hara Y, Yamaguchi S, Suzuki A, Toda T, Nagasaka H, Hirano K. Newly developed selective immunoinactivation assay revealed reduction in adipose triglyceride lipase activity in peripheral leucocytes from patients with idiopathic triglyceride deposit cardiomyovasculopathy. *Biochem Biophys Res Commun* 2018;495:646-651.
22. Inaba T, Ishizuka K, Suzuki A, Yuasa S, Saito K, Kodama M, Hamada M, Hongo F, Fujita N, Hirano K. Basic utility of Pentra series automated hematology analyzer for screening of Jordans' anomaly. *Int J Lab Hematol* 2017;39:e1-e3.
23. Higashi M, Hirano K, Kobayashi K, Ikeda Y, Issiki A, Otsuka T, Suzuki A, Yamaguchi S, Zaima N, Hamada S, Hanada H, Suzuki C, Nakamura H, Nagasaka H, Miyata T, Miyamoto Y, Kobayashi K, Naito H, Toda T. Distinct cardiac phenotype between two homozygotes born in a village with accumulation of a genetic deficiency of adipose triglyceride lipase. *Int J Cardiol* 2015;192:30-32.
24. Hirano K, Ikeda Y, Sugimura K, Sakata Y. Cardiomyocyte steatosis and defective washout of iodine-123-b-methyliodophenyl-pentadecanoic acid in genetic deficiency of adiposetriglyceride lipase. *Eur Heart J* 2015; 36:580.
25. Ikeda Y, Zaima N, Hirano K, Mano M, Kobayashi K, Yamada S, Yamaguchi S, Suzuki A, Kanzaki H, Hamasaki T, Kotani J, Kato S, Nagasaka H, Setou M, Ishibashi-Ueda H. Coronary triglyceride deposition in contemporary advanced diabetics. *Pathol Int* 2014;64:325-335.
26. Nakanishi T, Kato S. Impact of diabetes mellitus on myocardial lipid deposition: An autopsy study. *Pathol Res Pract* 2014;210:1018-1025.
27. Suzuki A, Nagasaka H, Ochi Y, Kobayashi K, Nakamura H, Nakatani D, Yamaguchi S, Yamaki S, Wada A, Shirata Y, Hui SP, Toda T, Kuroda H, Chiba H, Hirano K. Peripheral leucocyte anomaly detected with routine automated hematology analyzer sensitive to adipose triglyceride lipase deficiency manifesting neutral lipid storage disease with myopathy/triglyceride deposit cardiomyovasculopathy. *Mol Genet Metab*

*Rep* 2014;1:249-253.

28. Kaneko K, Kuroda H, Izumi R, Tateyama M, Kato M, Sugimura K, Sakata Y, Ikeda Y, Hirano K, Aoki M. A novel mutation in PNPLA2 causes neutral lipid storage disease with myopathy and triglyceride deposit cardiomyovasculopathy: A case report and literature review. *Neuromuscul Disord* 2014;24:634-641.
29. Hara Y, Kawasaki N, Hirano K, Hashimoto Y, Adachi J, Watanabe S, Tomonaga T. Quantitative proteomic analysis of cultured skin fibroblast cells derived from patients with triglyceride deposit cardiomyovasculopathy. *Orphanet J Rare Dis* 2013;8:197.
30. Hirano K, Tanaka T, Ikeda Y, Yamaguchi S, Zaima N, Kobayashi K, Suzuki A, Sakata Y, Sakata Y, Kobayashi K, Toda T, Fukushima N, Ishibashi-Ueda H, Tavian D, Nagasaka H, Hui SP, Chiba H, Sawa Y, Hori M. Genetic mutations in adipose triglyceride lipase and myocardial up-regulation of peroxisome proliferated activated receptor-gamma in patients with triglyceride deposit cardiomyovasculopathy. *Biochem Biophys Res Commun* 2014;443:574-579.
31. Ikeda Y, Hirano K, Fukushima N, Sawa Y. A novel type of human spontaneous coronary atherosclerosis with triglyceride deposition. *Eur Heart J* 2014;35:875.
32. Inoue T, Kobayashi K, Inoguchi T, Sonoda N, Maeda Y, Hirata E, Fujimura Y, Miura D, Hirano K, Takayanagi R. Downregulation of adipose triglyceride lipase in the heart aggravates diabetic cardiomyopathy in db/db mice. *Biochem Biophys Res Commun* 2013;438:224-229.
33. Lin Y, Chiba S, Suzuki A, Yamaguchi S, Nakanishi T, Matsumoto H, Ikeda Y, Ishibashi-Ueda H, Hirano K, Kato S. Vascular smooth muscle cells isolated from adipose triglyceride lipase-deficient mice exhibit distinct phenotype and phenotypic plasticity. *Biochem Biophys Res Commun* 2013;434:534-540.
34. Nakamura K, Hirano K, Wu SM. iPS cell modeling of cardiometabolic diseases. *J Cardiovasc Transl Res* 2013;6:46-53.
35. Inoue T, Kobayashi K, Inoguchi T, Sonoda N, Fujii M, Maeda Y, Fujimura Y, Miura D, Hirano K, Takayanagi R. Reduced expression of adipose triglyceride lipase enhances tumor necrosis factor alpha-induced intercellular adhesion molecule-1 expression in human aortic endothelial cells via protein kinase C-dependent activation of nuclear factor-kappaB. *J Biol Chem* 2011;286:32045-32053.
36. Hirano K. A novel clinical entity: triglyceride deposit cardiomyovasculopathy. *J Atheroscler Thromb* 2009;16:702-705.
37. Hirano K, Ikeda Y, Zaima N, Sakata Y, Matsumiya G. Triglyceride deposit cardiomyovasculopathy. *N Engl J Med* 2008;359:2396-2398.

【英文総説】

1. Hirano K, Li M, Ikeda Y, Triglyceride Deposit Cardiomyovascularopathy, in: T.H. Ohashi T, Ramirez F, Barber C (Ed.), “*Human Pathobiochemistry: from clinical studies to molecular mechanisms*”, Springer, Singapore (<https://www.springer.com/>), 2019;111-119; doi.org/10.1007/978-981-13-2977-7.
2. Miyauchi H, Hashimoto C, Ikeda Y, Li M, Nakano Y, Kozawa J, Sai E, Nagasawa Y, Sugimura K, Kinugawa S, Kawaguchi K, Shimada K, Ide T, Amano T, Higashi M, Inaba T, Nakamura H, Kobayashi K, Hirano K. Diagnostic Criteria and Severity Score for Triglyceride Deposit Cardiomyovascularopathy. *Ann Nucl Cardiol* 2018;4:94-100.
3. Higashi M, Ikeda Y, Miyauchi H, Zaima N, Suzuki A, Li M, Kobayashi K, Naito H, Hirano K. Imaging Modalities for Triglyceride deposit cardiomyovascularopathy. *Ann Nucl Cardiol* 2017;3:94-102.

【和文総説】

1. 星 佳佑, 宮内 秀行, 平野 賢一, 小林 欣夫. 中性脂肪蓄積心筋血管症の診断に役立つ臨床的因子の検討. *月刊 心臓* 2020;52(12):29-35.
2. 平野賢一. 中性脂肪蓄積心筋血管症 - この難病を1日でも早く克服する - *日本内科学会誌* 2017;106:2385-2390.
3. 平野賢一. 中性脂肪蓄積心筋血管症(TGCV). *診断モダリティーとしての心筋病理* 2017:146-147.
4. 鈴木 朗, 稲葉 亨, 二日市良彰, 平野賢一. 中性脂肪蓄積心筋血管症 (Triglyceride deposit cardiomyovascularopathy, TGCV)における末梢血顆粒球の空胞について -患者の早期発見のために-. *臨床病理* 2017;65:703-711.